




Minimum Egress Requirements*: Heel Dimensions

Configuration	Series	United States				Canada	
		5.7 sq-ft		5.0 sq-ft		3.8 sq-ft	
		W	H	W	H	W	H
	300	28	47.5	28	42	23	42.5
	325	34	46	34	41	29	41
	325 Egress Hinge	31	46	31	41	25	41
	300 in 400	30	49	30	44	25	44
	325 in 400	37	49	37	44	32	44
	325 in 400 Egress Hinge	34	49	34	44	28	44
	800	25	46	25	41	20	41
	300	27	47.5	27	42	22	42.5
	325	34	46	34	41	29	41
	325 Egress Hinge	31	46	31	41	25	41
	300 in 400	28	49	28	44	23	44
	325 in 400	36	49	36	44	31	44
	325 in 400 Egress Hinge	33	49	33	44	27	44
	800	25	46	25	41	20	41
	300	26	47.5	26	42	21	42.5
	325	34	46	34	41	29	41
	325 Egress Hinge	31	46	31	41	25	41
	300 in 400	27	49	27	44	22	44
	325 in 400	36	49	36	44	31	44
	325 in 400 Egress Hinge	33	49	33	44	27	44
Minimum Clear Opening:		20	41.5	20	36	15	36.5

Note: Yukon requires additional 28.8 in² clear opening.

* Please note: It is Cascadia Windows understanding that this document reflects the current egress code, for both Canada and the United States of America, as of August 14, 2014. However, please contact your local municipal authority to confirm egress requirement in your area.