





# CASCADIA CLIP<sup>®</sup>

## ADJUSTABLE BRACKET

FOR VERTICAL Z-GIRTS AND OTHER VERTICAL SUPPORT MEMBERS

Cascadia now offers adjustability options for use with vertical Z-girt installation.



### FEATURES


- Adjustability brackets for 2 ranges of adjustments up to 1"
- Engineered to work with the Cascadia Clip Calculator – [calculator.cascadiaclip.com](http://calculator.cascadiaclip.com)
- Brackets are 4" long to match the Cascadia Clips so they are easy to handle
- Brackets are pre-punched for both Clips and Z-girts

### BENEFITS

- Existing components remain the same
- Brackets can be used as needed on site, for current or future projects
- Use brackets only where you need them; no requirement to plan quantities in advance

VERTICAL Z-GIRT ASSEMBLY:

- multiple Cascadia Clips®
- adjustability brackets at each Clip
- continuous vertical Z-girt




November 28 2017 7:10 AM



CASCADIA WINDOWS LTD.  
 #101 - 5350 275TH STREET  
 LANGLEY, BC CANADA, V4W 0C1


SERIES:		CASCADIA CLIP ADJUSTABILITY BRACKET APPLICATION: VERTICAL Z-GIRTS		DRAWING NO.:	
				1	
DRAWING TITLE:		OVERALL ASSEMBLY ILLUSTRATION		PROJECT NO.:	
ISSUE	DESCRIPTION	DATE	SCALE:	NTS	
1	FINAL - VERSION 1	2017 FEB 14	DATE:	2017 NOV	
2	VERSION 2	2017 OCT 25	DRAWN BY:	CP	
2	VERSION 3	2017 NOV 28	CHECKED BY:	MP	

1



Slide adjustability bracket onto Clip


2




Install screws through bracket and Clip into structure

3

Place Z-girt against side of bracket; adjust outward as needed, within available 1/2" range



4





Install two #10 self-tapping screws through bracket (pilot holes) into Z-girt

November 28 2017 7:10 AM





CASCADIA WINDOWS LTD.  
#101 - 5350 275TH STREET  
LANGLEY, BC CANADA, V4V 0C1

SERIES:			CASCADIA CLIP ADJUSTABILITY BRACKET APPLICATION: VERTICAL Z-GIRTS	DRAWING NO.:	2
DRAWING TITLE:			INSTALLATION SEQUENCE DRAWINGS	PROJECT NO.:	
ISSUE	DESCRIPTION	DATE	SCALE:	NTS	
1	FINAL - VERSION 1	2017 FEB 14	DATE:	2017 NOV	
2	VERSION 2	2017 OCT 25	DRAWN BY:	CP	
3	VERSION 3	2017 NOV 28	CHECKED BY:	MP	



- Each bracket size allows 1/2" adjustability for Z-girt outward from neutral position.
- Bracket sizes available in 1/2" increments.
- Total possible adjustable range, using all brackets: 0" - 1"



August 17 2018 9:17 AM



CASCADIA WINDOWS LTD.  
#101-5390 278TH STREET  
LANGLEY, BC CANADA, V4W 0C1

SERIES:		CASCADIA CLIP ADJUSTABILITY BRACKET		DRAWING NO.:	3
DRAWING TITLE:		APPLICATION: VERTICAL Z-GIRTS		PROJECT NO.:	
AVAILABLE BRACKET SIZES				SCALE:	NTS
ISSUE	DESCRIPTION	DATE	SCALE:	NTS	
1	FINAL - VERSION 1	2017 FEB 14	DATE:	2017 NOV	
2	VERSION 2	2017 OCT 25	DRAWN BY:	CP	
3	VERSION 3	2017 NOV 28	CHECKED BY:	MP	